



ONE-STOP LIGHTING
SOLUTION SUPPLIER



SMART LIGHTING

Anhui Chenxin Lighting Electrical Appliance Co.,Ltd



COMPANY PROFILE

Anhui Chenxin Lighting Electrical Appliance Co., Ltd, headquartered in Anhui, China, is a professional large-scale manufacturer of all types of Lighting products established with 20 years of solid experience in the lighting industry. As a leading domestic manufacturer of LED Lighting products, Integrates development and manufacturing in-house. Specializes in manufacturing LED various lamps, LED filament bulbs, LED panel lights, LED Corn bulbs and T8 LED Glass tubes, Luxury Light, Holiday Light & Garden Light, Solar Light, Stage Light and Customized products.

Our factory covers 500,000 m² With more than 2,000 skilled workers and lighting professions supporting 45 production lines and key company functions. Through our online B2B platforms (Made-in-China, Global sources) and physical sales channels based in major cities of China, we export to more than 60 countries, including United States, Brazil, Mexico, Germany, Spain, UK, South Africa, Iran, Israel, Pakistan etc. By insisting our mission, "Creating value for clients, Offering opportunities to staff, Bringing wealth to society", we expect to achieve wonderful success with all of our partners with our superior products, reputation and services.



ABOUT US



LN United Testing

Certificate of Compliance

Certificate Number: UN12015102009SC-01

Applicant: Anhui Chenxin Lighting Electrical Appliance Co., LTD
Dashaheng E-commerce Industrial Park, Huoshan County, Lu'an City, Anhui, China

Manufacturer: Anhui Chenxin Lighting Electrical Appliance Co., LTD
Dashaheng E-commerce Industrial Park, Huoshan County, Lu'an City, Anhui, China

Product: CX Lighting

Trade Mark: GJ

Model Number: GJ-QP5A1-06, GJ-QP7A1-06, GJ-QP8A1-06, GJ-QP9A1-06, GJ-QP10A1-06, GJ-QP12A1-06, GJ-QP13A1-06, GJ-QP15A1-06, GJ-QP16A1-06, GJ-QP17A1-06, GJ-QP5A1-07, GJ-QP7A1-07, GJ-QP8A1-07, GJ-QP9A1-07, GJ-QP10A1-07, GJ-QP12A1-07, GJ-QP13A1-07, GJ-QP15A1-07, GJ-QP16A1-07, GJ-QP17A1-07, GJ-QP3A1-02, GJ-QP4A1-02, GJ-QP5A1-02, GJ-QP6A1-02, GJ-QP7A1-02, GJ-QP8A1-02, GJ-QP9A1-02, GJ-QP10A1-02, GJ-QP12A1-02, GJ-QP13A1-02, GJ-QP15A1-02, GJ-QP16A1-02, GJ-QP17A1-02

Test Standard: EN 62560:2011+A1:2015
EN 62471:2008

The EUT described above has been tested by us with the listed standards and found in compliance with the council LVD Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with LVD Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production. It is only valid in connection with the test report number: UN12015102009SR-01.

2015-10-20
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Honghualing Industrial Park,
Nanshan District, Shenzhen, PRC. 518055
Tel: +86-755-86180996 Fax: +86-755-86180158
http://www.unt-lab.hk E-mail: hof@unt-lab.hk

Kaixin Certification (Beijing) Co., Ltd.

Certificate of Registration

Registration No.: 0691SQ10228R0M

This is to certify that

Anhui Chenxin Lighting Electrical Appliance Co., LTD

Organization Code: 57570410-5

Registration Address: Shenjiqiao Village, Xiaofujiao Town, Huoshan County, 237200, China.
Business Address: Shenjiqiao Village, Xiaofujiao Town, Huoshan County, 237200, China.
Business Address: Dongliantiao Town, Huoshan County, Anhui Province, 237200, China.

The Management system is in conformity with

GB/T 19001-2008 / ISO9001:2008 standard

Scope: Business Address: Production and Sales of Energy-saving Lamps
Business Address: Production and Sales of Energy-saving Lamps, Incandescent Lamps

Issue Date: 2015-03-24
Term of Validity: 2020-03-23

NOTE: Starting from 2016-03-23, the certificate is valid only with a corresponding Notification of Maintaining Registration Qualification. This certificate can be found in CNCA website www.cnca.gov.cn or check via KCB website www.kcb-china.com

MANAGEMENT SYSTEM
CNAS C069-Q

Users can login www.cnca.gov.cn or www.kcb-china.com to check the certificate status, to confirm by means of kcb@kcb-china.com or scanning the QR code.
Address: Room 706, Xinhong Building, Xinhong West Street, Dongcheng District, Beijing 100027, China
Tel: +8610-6553 5910/11/12/13 Fax: +8610-6551 1869

LN United Testing

Certificate of Compliance

Certificate Number: UN12015102009RC-01

Applicant: Anhui Chenxin Lighting Electrical Appliance Co., LTD
Dashaheng E-commerce Industrial Park, Huoshan County, Lu'an City, Anhui, China

Manufacturer: Anhui Chenxin Lighting Electrical Appliance Co., LTD
Dashaheng E-commerce Industrial Park, Huoshan County, Lu'an City, Anhui, China

Product: CX Lighting

Trade Name: GJ

Model Number: GJ-QP5A1-06, GJ-QP7A1-06, GJ-QP8A1-06, GJ-QP9A1-06, GJ-QP10A1-06, GJ-QP12A1-06, GJ-QP13A1-06, GJ-QP15A1-06, GJ-QP16A1-06, GJ-QP17A1-06, GJ-QP5A1-07, GJ-QP7A1-07, GJ-QP8A1-07, GJ-QP9A1-07, GJ-QP10A1-07, GJ-QP12A1-07, GJ-QP13A1-07, GJ-QP15A1-07, GJ-QP16A1-07, GJ-QP17A1-07, GJ-QP3A1-02, GJ-QP4A1-02, GJ-QP5A1-02, GJ-QP6A1-02, GJ-QP7A1-02, GJ-QP8A1-02, GJ-QP9A1-02, GJ-QP10A1-02, GJ-QP12A1-02, GJ-QP13A1-02, GJ-QP15A1-02, GJ-QP16A1-02, GJ-QP17A1-02

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number: UN12015102009R-01.

2015-10-20
Date of issue

United testing technology (Hong Kong) Limited
Unit 04, 7/F, Bright Way Tower, No. 33 Mong Kok Road, Kowloon, HK
Room 317-319, Block 1, University City Science and Technology Park,
Taoyuan Street Committee, Nanshan District, Shenzhen, China
Tel: +86-755-86180996 Fax: +86-755-86180158
http://www.unt-lab.hk E-mail: hof@unt-lab.hk

TEST REPORT

IEC 62560

Self-Ballasted LED-Lamp for general lighting services by voltage > 50V Safety specifications

Report No.: HUAK170908003-SR

Report Number: HUAK170908003-SR
Date of issue: 2017-09-18
Total number of pages: 19 pages

Name of Testing Laboratory preparing the Report: Shenzhen HUAK Testing Technology Co., Ltd.
Applicant's name: Anhui Chenxin Lighting Electrical Appliance Co., Ltd.
Address: No. 1299, Jinggong RD, Shushan District, Hefei City, Anhui, China

Test specification:
Standard: IEC 62560:2011+A1:2015
Test procedure: IEC test report
Non-standard test method: N/A
Test Report Form No.: IEC62560B
Test Report Form(s) Originator: DEKRA Certification B.V.
Master TRF: Dated 2015-11

Copyright © 2015 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.
This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

General disclaimer:
The test results presented in this report relate only to the object tested.

Test item description: LED A60 bulb 12W
Trade Mark: N/A
Manufacturer: Same as applicant
Model/Type reference: LED-A60-12W-E27-DW, LED-A60-12W-B22-DW, LED-A60-10W-E27-DW, LED-A60-10W-B22-DW, LED-A60-7W-E27-DW, LED-A60-7W-B22-DW, LED-A60-5W-E27-DW, LED-A60-5W-B22-DW
Ratings: Input: 220-240V~, 50Hz, PF: 0.5
LED-A60-12W-E27-DW, LED-A60-12W-B22-DW: 12W,
LED-A60-10W-E27-DW, LED-A60-10W-B22-DW: 10W,
LED-A60-7W-E27-DW, LED-A60-7W-B22-DW: 7W,
LED-A60-5W-E27-DW, LED-A60-5W-B22-DW: 5W

TRF No. IEC62560B

TEST REPORT

IEC 62560

Self-Ballasted LED-Lamp for general lighting services by voltage > 50V Safety specifications

Report No.: HUAK170908004-SR

Report Number: HUAK170908004-SR
Date of issue: 2017-09-18
Total number of pages: 18 pages

Name of Testing Laboratory preparing the Report: Shenzhen HUAK Testing Technology Co., Ltd.
Applicant's name: Anhui Chenxin Lighting Electrical Appliance Co., Ltd.
Address: No. 1299, Jinggong RD, Shushan District, Hefei City, Anhui, China

Test specification:
Standard: IEC 62560:2011+A1:2015
Test procedure: IEC test report
Non-standard test method: N/A
Test Report Form No.: IEC62560B
Test Report Form(s) Originator: DEKRA Certification B.V.
Master TRF: Dated 2015-11

Copyright © 2015 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.
This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

General disclaimer:
The test results presented in this report relate only to the object tested.

Test item description: LED corn lamp 15W
Trade Mark: N/A
Manufacturer: Same as applicant
Model/Type reference: LED-3U-15W-E27-DW, LED-3U-15W-B22-DW, LED-3U-9W-E27-DW, LED-3U-9W-B22-DW, LED-3U-7W-E27-DW, LED-3U-7W-B22-DW, LED-3U-5W-E27-DW, LED-3U-5W-B22-DW
Ratings: Input: 220-240V~, 50Hz, PF: 0.5
LED-3U-15W-E27-DW, LED-3U-15W-B22-DW: 15W,
LED-3U-9W-E27-DW, LED-3U-9W-B22-DW: 9W,
LED-3U-7W-E27-DW, LED-3U-7W-B22-DW: 7W,
LED-3U-5W-E27-DW, LED-3U-5W-B22-DW: 5W

TRF No. IEC62560B

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully
The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder: Anhui Chenxin Lighting Electrical Appliance Co., Ltd.
Address: No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China
Manufacturer: Anhui Chenxin Lighting Electrical Appliance Co., Ltd
Address: No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China
Product Name: LED Bulb
Product Model (S): C37-6W, C37-3W, C37-5W, C37-7W, C35-4W-E14, A-7W-18W, T-20W-60W
Trade Mark: N/A
Related Directive: 2014/30/EU
EN 55015:2013+A1:2015
EN IEC 61000-3-2:2019
EN 61000-3-3:2013
EN 61547:2009

Certificate Number: HK1912103131E
Report No.: HK1912103131-1ER
Registration Date: Dec. 11, 2019

Shenzhen HUAK Testing Technology Co., Ltd.
Add: 1F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fujiah Street, Bao'an District, Shenzhen, China
Tel: +86-755-2302 9901 http://www.cer-mark.com Postcode: 518103 E-mail: service@cer-mark.com

CERTIFICATE

Quality Management Systems Certificate

Certificate Number: 06219Q2115SR1L

COM hereby certifies that

Anhui Chenxin Lighting Electrical Appliance Co., Ltd

China Quality Mark Certification Group

has implemented and maintains a Quality Management System which fulfills the requirements of the following standards

GB/T 19001-2016/ISO 9001:2015

Quality management systems—Requirements

This certificate is valid to the following product(s)/service:

Design and production of LED lighting devices, light source and LED lamps (embedded type and dual type)

Issued on: 2019-03-01
Effective date: 2019-03-01
Validity date: 2022-02-18
Registration Number: CQM-32-1999-0555-0001

The validity of the certificate can be checked on www.cqm.com.cn, Certificate Confirmation and CQM website.

CHINA QUALITY MARK CERTIFICATION GROUP
Address: No. 32, Jingyuan Road, Xixiangmen Street, Beijing, P.R. China
http://www.cqm.com.cn

HUAK TESTING

Page 2 of 57 Report No.: HK1912103131-1ER

TEST REPORT VERIFICATION

Applicant: Anhui Chenxin Lighting Electrical Appliance Co., Ltd.
Address: No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China
Manufacturer: Anhui Chenxin Lighting Electrical Appliance Co., Ltd.
Address: No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China
EUT Description: LED Candle Bulb
(A) Model No.: C37-6W
(B) Serial Model: C37-3W, C37-5W, C37-7W
(C) Power Supply: AC220-240V, 50/60Hz, 50mA

Standards: EN 55015:2013+A1:2015
EN IEC 61000-3-2:2019
EN 61000-3-3:2013
EN 61547:2009

This device described above has been tested by HUAK, and the test results show that the equipment under test (EUT) is in compliance with the 2014/30/EU requirements. And it is applicable only to the tested sample identified in the report.
This report shall not be reproduced except in full, without the written approval of HUAK, this document may be altered or revised by HUAK, personal only, and shall be noted in the revision of the document.

Test Result: Pass

Date of Test: Dec. 05, 2019 - Dec. 11, 2019

Prepared by: [Signature]

Reviewed by: [Signature]

Approved by: [Signature]

HUAK Testing Lab TEL: +86-755-2302 9901 FAX: +86-755-2302 9901 E-mail: service@huak.com.cn
Add: 1F, Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fujiah Street, Bao'an District, Shenzhen, Guangdong, China

HUAK TESTING

Report No.: SPT201130M23002-R Page 1 of 9

TEST REPORT

Applicant's name: Anhui Chenxin Lighting Electrical Appliance Co., LTD
Address: No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China
Manufacturer: Anhui Chenxin Lighting Electrical Appliance Co., LTD
Address: No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China

Test item description: LED Tube
Model/Type reference: CX-Tube-10W, CX-Tube-18W, CX-Tube-20W, CX-Tube-24W, CX-Tube-28W, CX-Tube-30W, CX-Tube-40W, CX-Tube-50W

Trade mark: /

Ratings: 85-265V~, 50/60Hz, 50W

Report Number: SPT201130M23002-R

Date of receipt of test item: Nov. 16, 2020
Duration of performance of tests: Nov. 16, 2020 - Nov. 30, 2020
Date of issue: Nov. 30, 2020

The EUT described above has been tested by us and found in compliance with the council RoHS 2 Directive (EU) 2017/2102. It is only valid in connection with the test.
All models have the same appearance except the lamp cap.
The test is based on model CX-Tube-50W.

Test Results: Please refer to next pages.

Shenzhen HUAK Testing Technology Co., Ltd.
1F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fujiah Street, Bao'an District, Shenzhen, Guangdong, China
Tel: +86-755-2302 9901 FAX: +86-755-2302 9901 E-mail: service@huak.com.cn

HUAK TESTING

CE-EMC TEST REPORT

Prepared for:

Anhui Chenxin Lighting Electrical Appliance Co., Ltd.
No. 1009, International business center B# block, Huguang RD, Shushan District, Hefei, China

Product: LED Candle Bulb
Trade Name: N/A
Model Name: C37-6W, C37-3W, C37-5W, C37-7W
Date of Test: Dec. 05, 2019 - Dec. 11, 2019
Date of Report: Dec. 11, 2019
Report Number: HK1912103131-1ER

Prepared by:

Shenzhen HUAK Testing Technology Co., Ltd.
1F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fujiah Street, Bao'an District, Shenzhen, China
TEL: +86-755-2302 9901 FAX: +86-755-2302 9901
E-mail: service@cer-mark.com http://www.cer-mark.com

The results shown in this test report are only for the certificate holder's use and are not intended to be used for any other purpose. The certificate holder is responsible for the accuracy of the information provided in this test report and for the accuracy of the test results. The certificate holder is responsible for the accuracy of the information provided in this test report and for the accuracy of the test results.

HUAK Testing Lab TEL: +86-755-2302 9901 FAX: +86-755-2302 9901 E-mail: service@huak.com.cn
Add: 1F, Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fujiah Street, Bao'an District, Shenzhen, Guangdong, China



Bulb



Panel light



Downlight

SMART LIGHTING




Ceiling light



Ambiance light



Floodlight



Strip light

Multi-function Smart Bulb



SPECIFICATION~A60

POWER	VOLT	LUMENS	BEAM	CAP	CCT	Ra	EEL	D*H	LIFE
7W	85~265V	630Lm	220°	E27/B22	2700-6500K / RGB+2700-6500K	>80	A+	60*116mm	25,000H
9W	85~265V	810Lm	220°	E27/B22	2700-6500K / RGB+2700-6500K	>80	A+	60*116mm	25,000H
11W	85~265V	990Lm	220°	E27/B22	2700-6500K / RGB+2700-6500K	>80	A+	60*116mm	25,000H

Multi-function Smart Bulb



SPECIFICATION~PAR16

Beam:120° Ra:>80 EEL:A+

POWER	VOLT	LUMENS	CAP	CCT	D*H	LIFE
5W	85~265V	450Lm	GU10	2700-6500K	50*55mm	25,000H
5W	85~265V	450Lm	GU10	RGB+2700-6500K	50*55mm	25,000H



SPECIFICATION~C37

Beam:220° Ra:>80 EEL:A+

POWER	VOLT	LUMENS	CAP	CCT	D*H	LIFE
5W	85~265V	450Lm	E14/E27	2700-6500K	37*100mm	25,000H
5W	85~265V	450Lm	E14/E27	RGB+2700-6500K	37*100mm	25,000H




SPECIFICATION~G45

Beam:220° Ra:>80 EEL:A+

POWER	VOLT	LUMENS	CAP	CCT	D*H	LIFE
5W	85~265V	450Lm	E14/E27	2700-6500K	45*80mm	25,000H
5W	85~265V	450Lm	E14/E27	RGB+2700-6500K	45*80mm	25,000H

Multi-function Smart Panel Light



1 ROUND
Recessed Mount



2 ROUND
Surface Mount



3 SQUARE
Recessed Mount



4 SQUARE
Surface Mount



Amazon alexa




Tuya




Google assistant



Voice control



Timer



Customized Group control

1 & 2 SPECIFICATION

POWER	VOLT	LUMENS	BEAM	CUTOUT	CCT	Ra	EEL	D*H	LIFE
18W	85~265V	1620Lm	120°	180mm	RGB+CCT/CCT	>80	A+	1:225*13mm 2:225*30mm	25,000H
24W	85~265V	2160Lm	120°	278mm	RGB+CCT/CCT	>80	A+	1:300*13mm 2:300*30mm	25,000H

3 & 4 SPECIFICATION

POWER	VOLT	LUMENS	BEAM	CUTOUT	CCT	Ra	EEL	L*W*H	LIFE
18W	85~265V	1620Lm	120°	176*176mm	RGB+CCT/CCT	>80	A+	3:225*225*13mm 4:225*225*30mm	25,000H
24W	85~265V	2160Lm	120°	204*204mm	RGB+CCT/CCT	>80	A+	3:300*300*13mm 4:300*300*30mm	25,000H


Multi-function Smart Panel Light



- 👑 Both silver and white frame are available
- 👑 UGR<22 or UGR<19 at option
- 👑 High quality PMMA LGP, no yellowing problem
- 👑 Lifud or other branded driver are available

SPECIFICATION

POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	L*W*H	LIFE
24W	85~265V	2160Lm	120°	IP20	RGB+CCT/CCT	>80	300*300*10/450*450*10mm	25,000H
36W	85~265V	3240Lm	120°	IP20	RGB+CCT/CCT	>80	450*450*10/600*600*10/620*620*10mm	25,000H
48W	85~265V	4320Lm	120°	IP20	RGB+CCT/CCT	>80	600*600*10/620*620*10mm	25,000H



SPECIFICATION

POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	L*W*H	LIFE
15W	85~265V	1350Lm	120°	IP20	RGB+CCT/CCT	>80	300*600*10mm	25,000H
24W	85~265V	2160Lm	120°	IP20	RGB+CCT/CCT	>80	300*600*10/300*1200*10mm	25,000H
36W	85~265V	3240Lm	120°	IP20	RGB+CCT/CCT	>80	300*600*10/300*1200*10mm	25,000H

Multi-function Smart Downlight

- 👑 New Generation Bluetooth mesh technology
- 👑 ON/OFF/DIM/CCT adjustment
(Dim mable via bluetooth only, not for use with in-wall dimmer)
- 👑 Control your lights by APP
- 👑 Simple installation and service






SPECIFICATION



POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	EEL	Φ*H	CUTOUT	LIFE	FINISH
5W	85~265V	450Lm	100°	IP20	RGB+CCT	>80	A+	109*43mm	75mm	25,000H	Matt White
9W	85~265V	810Lm	100°	IP20	RGB+CCT	>80	A+	120*45mm	95mm	25,000H	Matt White


Multi-function Smart Ceiling Light



SPECIFICATION

POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	EEL	Φ*H	FINISH	LIFE
18W	85~265V	1620Lm	120°	IP20	RGB+CCT/CCT	>80	A+	360*80mm	Round/Starry	25,000H
24W	85~265V	2160Lm	120°	IP20	RGB+CCT/CCT	>80	A+	360*80mm	Round/Starry	25,000H
36W	85~265V	3240Lm	120°	IP20	RGB+CCT/CCT	>80	A+	360*80mm	Round/Starry	25,000H


Multi-function Smart Ceiling Light



SPECIFICATION

POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	EEL	Φ*H	FINISH	LIFE
24W	85~265V	2160Lm	120°	IP20	2700-6500K	>80	A+	340*60mm	Round/Starry	25,000H
36W	85~265V	3240Lm	120°	IP20	2700-6500K	>80	A+	340*60mm	Round/Starry	25,000H
60W	85~265V	5400Lm	120°	IP20	2700-6500K	>80	A+	340*60mm	Round/Starry	25,000H

Multi-function Smart Strip Light





Supports Third-Party Voice Control App remote control 16 million color display

A flexible addition to any lighting set up that melds lighting into creative shapes and forms onto almost any surface. The wi-fi strip 3-in-1 kit we offer comes with a power adapter, a wi-fi strip controller and a led strip.

SPECIFICATION

ITEM	VOLT	LUMENS/M	BEAM	IP GRADE	DRIVER	CCT	WATT/5M	M/ROLL	LIFE
5050RGB 30PCS/M	DC 12V	200Lm	120°	IP65	Adapter 12V 2A	RGB	28W/M±1W	5M	25,000H
5050RGB 60PCS/M	DC 12V	400Lm	120°	IP65	Adapter 12V 2A	RGB	28W/M±1W	5M	25,000H
5050RGB 30PCS/M 2835WW 30PCS/M	DC 12V	500Lm	120°	IP65	Adapter 12V 2A Wifi Controler	RGB+WW	28W/M±1W	5M	25,000H
5050RGB 18PCS/M+2835WW 18PCS/M+2835CW 18PCS/M	DC 12V	800Lm	120°	IP65	Adapter 12V 2A Wifi Controler	RGB+WW+CW	28W/M±1W	5M	25,000H
5050RGB 30PCS/M+2835WW 30PCS/M+2835CW 30PCS/M	DC 12V	1200Lm	120°	IP65	Adapter 12V 2A Wifi Controler	RGB+WW+CW	28W/M±1W	5M	25,000H


Multi-function Smart Flood Light



SPECIFICATION

POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	EEL	L*W*H	PF	FINISH	LIFE
50W	85~265V	4500Lm	120°	IP65	RGB+CW	>80	A+	230*170*25mm	0.9	White/Black	30,000H
100W	85~265V	9000Lm	120°	IP65	RGB+CW	>80	A+	275*205*27mm	0.9	White/Black	30,000H


Multi-function Smart Flood Light



SPECIFICATION

POWER	VOLT	LUMENS	BEAM	IP GRADE	CCT	Ra	EEL	L*W*H	PF	FINISH	LIFE
20W	110~220V	1800Lm	120°	IP66	RGBW/RGBCW	>80	A+	137*117*35mm	0.9	White/Black	30,000H
30W	110~220V	2700Lm	120°	IP66	RGBW/RGBCW	>80	A+	195*165*47mm	0.9	White/Black	30,000H
50W	110~220V	5400Lm	120°	IP66	RGBW/RGBCW	>80	A+	195*165*47mm	0.9	White/Black	30,000H

Multi-function Smart Ambiance Light



FLAME MUSIC BULB App and remote control




Combination of sound and light, RGB mixed color, Can be switched arbitrarily by remote control, Light flashing with music rhythm.

SPECIFICATION



POWER	VOLT	KHz	CAP	CCT	Ra	EEL	L*W*H	LIFE	WD
8W	85~265V	135Hz-150Hz	E26/B22	RGB+CCT	>80	A+	58*65*155mm	50,000h	12m

Multi-function Smart Ambiance Light



Multi-function Smart Ambiance Light





CX Lighting

Anhui Chenxin Lighting Electrical Appliance Co.,LTD

Office address:No.1009,International Business Center B# Block,Huguang RD,
Shushan District,Hefei,China

Factory Address:Huoshan County,Lu'an City,Anhui,China

Tel:+86-551-65856715 Cell:+86-18119606995

Email:cxlight@ahcxlight.com Web:www.ahcxlight.com